

CHAPITRE XXV

COLLIERS DURITES

Pages 294 à 297

COLLIERS INOX W5

COLLIERS DE SERRAGE A BANDES PLEINES



Plage de serrage	Largeur de bande	Référence colliers
47 à 51 mm	20 mm	CI.47-51/20
51 à 55 mm	20 mm	CI.51-55/20
55 à 59 mm	20 mm	CI.55-59/20
59 à 63 mm	20 mm	CI.59-63/20
63 à 68 mm	20 mm	CI.63-68/20
68 à 73 mm	20 mm	CI.68 73/20
73 à 79 mm	25 mm	CI.73-79/25
79 à 85 mm	25 mm	CI.79-85/25
85 à 91 mm	25 mm	CI.85-91/25
91 à 97 mm	25 mm	CI.91-97/25
97 à 104 mm	25 mm	CI.97-104/25
104 à 112 mm	25 mm	CI.104-112/25
112 à 121 mm	25 mm	CI.112-121/25
121 à 130 mm	25 mm	CI.121-130/25
130 à 140 mm	30 mm	CI.130-140/30



Plage de serrage	Largeur de bande	Référence colliers
7 à 11 mm	5 mm	CI.47-51/20
11 à 19 mm	5 mm	CI.51-55/20
12 à 20 mm	9 mm	CI.55-59/20
16 à 25 mm	9 mm	CI.59-63/20
20 à 32 mm	9 mm	CI.63-68/20
25 à 40 mm	9 mm	CI.68 73/20
32 à 50 mm	9 mm	CI.73-79/25
40 à 60 mm	9 mm	CI.79-85/25
50 à 70 mm	9 mm	CI.85-91/25
16 à 25 mm	12 mm	CI.91-97/25
20 à 32 mm	12 mm	CI.97-104/25
25 à 40 mm	12 mm	CI.104-112/25
32 à 50 mm	12 mm	CI.112-121/25
50 à 70 mm	12 mm	CI.121-130/25
60 à 80 mm	30 mm	CI.130-140/30

DURITES

DURITES



Durite droite	Référence	Durite coudée	référence
Dia 6 mm	DU.6	Dia 10 mm	DC.10
Dia 8 mm	DU.8	Dia 18 mm	DC.18
Dia 10 mm	DU.10	Dia 22 mm	DC.22
Dia 12 mm	DU.12	Dia 25 mm	DC.25
Dia 18 mm	DU.18	Dia 28 mm	DC.28
Dia 20 mm	DU.20	Dia 30 mm	DC.30
Dia 22 mm	DU.22	Dia 32 mm	DC.32
Dia 25 mm	DU.25	Dia 35 mm	DC.35
Dia 28 mm	DU.28	Dia 40 mm	DC.40
Dia 30 mm	DU.30	Dia 42 mm	DC.42
Dia 35 mm	DU.35	Dia 45 mm	DC.45
Dia 38 mm	DU.38	Dia 50 mm	DC.50
Dia 40 mm	DU.40		
Dia 42 mm	DU.42		
Dia 45 mm	DU.45		

Disponible jusqu'au diamètre 100

DURITES

Durite d'Echappement – Tuyau standard

Diamètre intérieur
DE.40
DE.45
DE.51
DE.60
DE.76
DE.90
DE.102
DE.127
DE.152
DE.175



Durite d'Aspiration eau articulé – pression 5 bar

Diamètre intérieur
DU.19A
DU.20A
DU.22A
DU.25A
DU.28A
DU.30A
DU.32A
DU.38A
DU.40A
DU.42A
DU.45A
DU.50A

